

## Dialog Acts from the Processing Perspective in Task Oriented Dialog Systems

**Markus Berg**  
University of Kiel &  
University of Wismar  
mail@mmberg.net

**Bernhard Thalheim**  
University of Kiel  
Technical Faculty

**Antje Düsterhöft**  
University of Wismar  
Faculty of Engineering

### 1 Introduction

The formulation *"I'd like to know what time it is"* has the same aim as *"What's the time?"*. Thus, we can easily see that different formulations can have the same intention. Consequently we learn that it is not possible to infer a one-to-one relationship between form and function. When developing a dialogue system, the main interest is *what* the user expects from the system, and not *how* he formulates his concern. So we propose a backend-oriented scheme for the description of dialog utterances. This scheme applies for three basic types of mixed-initiative systems that often have to be modeled: control systems (e.g. for controlling the lights in a room by speech), question-answering systems and information-seeking/booking-dialogues (i.e. the system asks questions in order to gain information that is necessary to fulfil the user's request). All of these systems have a task-related information exchange in common. Thus we don't classify by initiative (they are all mixed initiative) but by purpose and call those systems, according to (McTear, 2004, p.45), "task-oriented" dialog systems.

### 2 Modeling of Dialogs

While most dialog models start with linguistic aspects, we specify the model bottom-up. We have a backend and we know what it is able to do. Then we can find out how to address these functions, i.e. what linguistic form triggers which function.

#### 2.1 Backend Functions

In the introduction we have mentioned three basic system types. This leads to three different categories of user aims:

- the user gives a command in order to make the system realize the request

- the user asks a question in order to retrieve an information
- the user gives information in order to enable the system to provide him with information

We now introduce appropriate functions that model these capabilities: `do`, `getInfo` and `setInfo`. The following examples are annotated with these basic functions and by this means indirectly describe the users aim, or the *intended perlocutionary effect*.

- Could you please switch on the light? → `do`
- Play some music → `do`
- How is the weather in London? → `getInfo`
- I'd like to start on May 4<sup>th</sup> → `setInfo`

#### 2.2 Utterance Role and Speaker

We already observed that *form is not function*. Thus we should avoid the terms *question* and *answer* as they extremely relate to the form. So we replace them by the introduction of the terms *concern* and *reply*. A concern comprises all types of utterances that have the aim of causing a system reaction. This can be a regular question, a command, a request or just a wish. We summarize both a command and a question under the same category as they both constitute a form of system request. A reply is any possible response which satisfies the concern, i.e. an answer or an acknowledgement. Furthermore we introduce the *speaker* of an utterance leading to four base units (in combination with the utterance role): *user concern* (UC), *user reply* (UR), *system concern* (SC) and *system reply* (SR). After analysing several dialogs, we realized that the combination of SC and UR equals a UC: The system concern *"Tell me your destination"* and the user reply *"San Francisco"* equals the user concern *"I'd like to go to San Francisco"*. So if the system initiates a question, by answering it, the user states his own concern. For the

dialog manager it is important to know of the utterance role in order to infer the next dialog step. For the backend itself it does not matter if the request was a UC or a UR in consequence of a SC.

### 2.3 Selection of Dialog Acts

In order to model the user's intention we use dialog acts. While many dialogue act schemata suffer from the fact that form is mixed with function, we apply Bunt's second-level general-purpose functions (Bunt and others, 2010): *information seeking functions*, *information providing functions*, *commissives* and *directives*. In the types of dialog system described in this paper we don't need commissives, as we do not concentrate on human-human-like conversations. Of course the system could produce utterances like "I will look for that", but from the backend processing perspective we don't need to understand promises, invitations, oaths or threats. From the *directives* we only use the *instructions*-category and rename it to *action requesting* in order to delimit from the form (instructions are often associated with imperatives). These dialog acts can now be related to our backend functions: an *information-seeking* dialog act will initiate the `getInfo` function, an *information-providing* act initiates the `setInfo` function and an *action-requesting* act leads to the `do` function. Apart from these acts, we also have to do with what in *DIT++* (Bunt and others, 2010) is called *social obligations*, like greeting/return greeting. These acts often don't need any backend access, which means that they bypass it. Moreover they form symmetric adjacency pairs as the reaction always belongs to the same dialog act category as the request. Hence we name them *copy* dialog acts.

### 2.4 Description of Dialog Utterances

We now have described two different classification approaches: the distinction into *concern* and *reply* as well as the differentiation between *information-seeking*, *information-providing*, *action-requesting* and *copy* acts. The attempt to integrate both into a common taxonomy fails as we have to do with different, independent dimensions. While the first approach describes the *role*  $r$  of an utterance, the second approach describes its *primary illocution*  $i$  and its derived *intended action*  $a$ . The *role* is important to enable the system to differentiate between "I'd

like to go to New York" as a *concern* or as a *reply* to the question "Where do you want to go?". Moreover an utterance is described by the *speaker*  $s$  and the *domain*  $d$  of the utterance, i.e. task oriented, dialog handling or social. It is further characterized by its *form*  $f$  (roughly equivalent with the secondary illocution) and the *range*  $R$  (only in case of inf.-seeking acts) of the resulting answer. Because range and action can be inferred from the primary illocution, we only have five independent attributes. Thus an utterance can be described by the following quintuple:  $U = (s, r, i, d, f)$  where  $s \in \{user, system\}$ ,  $r \in \{concern, reply\}$ ,  $i \in \{inf.seeking, inf.prov., act.req., copy\}$ ,  $d \in \{task1, \dots, taskN, dialog, social\}$  and  $f = (sentence\ type, mode, verb, style, \dots)$ . So the sentence "Could you please close the window?" can be described as:  $U = (user, concern, action\ requesting, smart\ room, (question, subjunctive, close, formal))$ . This would result in a `do` backend call and no range because requests don't expect an answer.

## 3 Conclusion

In this paper we have discussed dialog acts from the processing perspective in mixed-initiative task-oriented dialogs. For the system it is most important to recognize what the user wants in order to be able to accomplish his needs. There is no need for the backend to know whether he formulated a request as an instruction or as a question. We identified the *role* of an utterance and three classes of backend functions which build the basis for the top level of a backend-motivated and formulation independent taxonomy of illocutionary acts. It comprises *information-seeking*, *information-providing*, *action-requesting* and *copy* acts. An extension of these attributes results in a quintuple for the description of utterances in a dialog which is a compact way of representing the user's aim and the intended system reaction in task-oriented mixed-initiative dialogs.

## References

- Harry Bunt et al. 2010. Towards an ISO standard for Dialogue Act Annotation. In Nicoletta Calzolari et al., editors, *Proceedings of the Seventh conference on International Language Resources and Evaluation (LREC 2010)*, Valletta, Malta. European Language Resources Association (ELRA).
- Michael F McTear. 2004. *Spoken Dialogue Technology: Toward the Conversational User Interface*. Springer.